

AlphaSorb® Ripstop Nylon Acoustic Panels



Description


AlphaSorb® Ripstop Nylon Acoustic Panels offer economical sound absorption with a durable, abuse-resistant finish. These acoustical panels are used to reduce and lower excessive reverberation times (RT60) in large open spaces. Available in an array of bold colors, they can be manufactured in custom sizes up to 4' x 10'. AlphaSorb® Ripstop Nylon Acoustic Panels install easily using the provided washer plates.

Features

- Reduces echo and reverberation
- Improves speech intelligibility
- Exceptional acoustical performance
- Durable, abuse resistant finish
- Easy to maintain

Technical Characteristics

Size:	4' x 2' 2' x 2' 4' x 4' 4' x 8' 4' x 10'
Thickness:	2" (sizes up to 4' x 10')
Core Material:	1.65 lb. / ft ³ acoustical fiberglass
Finish:	Nylon Ripstop Sailcloth
Intended Use:	Interior, Sound Absorption
Fire Rating:	Class 1 or A per ASTM E84 25/0/50
NRC:	1.35
Suspension Provision:	3" Clear Plastic Washer Plates



Sound Absorbing Performance

Thickness	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	NRC
2"	2.29	5.43	10.82	13.58	13.44	12.83	1.35

Sabins per Unit

Revised: 2025-04-30